


Wyoming Certified Land Corner Recordation Certificate

This form is to be completed in accordance with W.S. 36-11-101, printed in black ink or typed, and shall be for one individual corner.

Describe below, or show in sketch attached to this form, the corner evidence found. Include condition and type of monument, accessories and ties. Describe any maintenance or rehabilitation performed. In the circle to the right, show monument inscription. If monument is determined lost or obliterated, restate the GLO or BLM original field note record; describe or show the procedure used to reestablish the corner and all data as above for a found monument.

Field Date 4-13-90 Office Reference _____

After extensive field search, it was determined the best evidence for the re-establishment of the corner was the easterly extension of the fence on the northerly line of the NE1/4 of Section 24 intersected with the center of the ROW fences of County Road 148.




Monument Inscription

GLO notes attached.

Monument set: #5 rebar with 2" aluminum cap stamped as shown; 6" below gravel road.

References: P-K nails with 1-1/2" galvanized washers stamped "5014".



State of Wyoming
Office of County Clerk
County of Laramie

This Certified Land Corner Recordation Certificate was filed for record on the _____ day of _____, 19____, in Book No. T _____, R _____, on Alpha-Numeric coordinates N 1 and was noted on the Cross Index Plat.

County Clerk

Corner Type: Aliquot Corner Other
 Section(s) 19 Meridian 6th
 Corner Name Section Township 16 N Range 62 W Page _____
 Sheet 1 of 3

070688

RECEIVED

LARAMIE COUNTY
CHEYENNE, WY.

<p>156 North between Range 62 x 63 Chain Sand with level valley Soil sandy Loam Vegetation, Buffalo Grass May 18, 1871</p>	<p>From the corner to Range 15 x 16 N Range 62 x 63 N Drum North between Range 62 along E. band, Sec. 36, Va. 15 x 27 E.</p>	<p>8000 set Limestone 15 x 10 x 4 ft 1/4 sec cor.</p>	<p>8000 set Limestone 15 x 10 x 4 ft for corner to sec. 25-36- 30 x 31 Land rough and broken Soil sandy and gravelly Good growth of grass</p>
<p>157 From 16 N. Chain N. along E. band, Sec. 26 Va. 15 x 27 E. 8000 set Limestone 15 x 10 x 4 ft 1/4 sec cor.</p>	<p>set Limestone 15 x 10 x 4 ft corner to sec. 24-25-19 x 20 Land rolling and rough Soil sandy. Vegetation Buffalo Grass</p>	<p>8000 set Limestone 15 x 10 x 4 ft for 1/4 sec cor.</p>	<p>8000 set Limestone 15 x 11 x 5 ft for corner to sec. 13-24 18 x 19 Land rolling sandy soil Vegetation, Buffalo Grass</p>

100
100

100